



Salt Spray Exposure Test Report

Model Name : A422
Product Description : Outdoor Bullet Camera
Series Name : A423
Quantity : 1 Unit
Testing Period : Apr 24~ 26, 2023
Test Result : - PLEASE SEE ATTACHED SHEETS -

APPROVED	CHECKED	PREPARED



Salt Spray Exposure Test

Test Equipment

Name : Salt Spray Test Chamber
Manufacturer : T- Machine
Model : TMJ- 9701
Serial No. : T- 01- 150209
Date of Calibration : MAR 10, 2015

Lab Environmental Condition

Ambient Temperature : 23.9± 5 °C
Relative Humidity : 63± 10 %RH

Test Method/ Specification

Reference Document : The test was performed with reference to ASTM B117: 2011
Salt Solution : 5 wt. % NaCl
pH of Solution : 6.5 ~ 7.2
Temperature : 35±2 °C
Quantity of Fog : 1.0 ~ 2.0 ml/ 80 cm²/ hour
Exposing Duration : 48 hours

Test Result

Visual Observations	Functional Check
No any corrosion was found on the tested sample.	Normal

Salt Spray Exposure Test

Test Photo



Visual Check before test



Setup- 1



Setup- 2



Visual Check after test