



SHD-2000FPW

In-ceiling Mount



Key Features

- Material : Enclosure : Aluminum / Top cover : Polycarbonate(PC)
- Color : White
- Product dimensions / weight : $\phi 265.1 \times 96.8 \text{mm}$ ($\phi 10.44 \times 3.81 \text{''}$) / 1500g (3.31lb)
 - ※ Ceiling hole size : $\phi 240 \text{mm}$ ($\phi 9.45 \text{''}$)
- Max. load : 3.5kg (7.72lb)
 - ※ Maximum load of ceiling board : 6.5kg (13.3lb)

SHD-2000FPW

In-ceiling Mount



Specifications

Mechanical	
Color	White
Material	Enclosure : Aluminum Top cover : Polycarbonate(PC)
RAL code	RAL9003
Product dimensions / weight	ø265.1x96.8mm(ø10.44x3.81") / 1500g (3.31lb) ※ Ceiling hole size : ø240mm (ø9.45")
Tile thickness	10~70mm (0.4~2.8")
Mount Screw size	TR20
Max. load	3.5kg (7.72lb) ※ Maximum load of ceiling board : 6.5kg (13.3lb)
Conduit hole	19.1mm(3/4") (M25), 12.7mm(1/2") (M20)
Supported products	PNM-C16013RVQ ※ When assembled with camera, IR LED will be covered by rim.

SHD-2000FPW

In-ceiling Mount



CAD

Unit:mm [inch]

$\varnothing 265.14 [10.44]$
 $\varnothing 141.67 [5.58]$
 $97.73 [3.85]$
 $242.26 [9.54]$

Reference image (No scale applied)

Revision	V1.0
Revision Date	24/04/19
Paper Size	A0
Unit	mm [inch]
Scale	1 : 1

*When this drawing is printed in A0 size, it is 1:1 scale.

© Hanwha Vision Co., Ltd. All right reserved.