

V-series AI Camera

FD9189-V3 / FD9389-V3 / IB9389-V3 / FD9199 / FD9399 / IB9399



VIVOTEK's V-series AI cameras combine advanced intelligence with high-quality imaging, available in both 5MP and 8MP options. With AI-driven incident detection and real-time alerts, the cameras provide live-streaming capabilities to enhance deterrence. The user-friendly design reduces installation time and maximizes safety. This product series is the ideal solution for building a reliable and effective security system.

Features

● Hardware ● Software

5 / 8MP Resolution

AI Camera



40 Meters IR Illuminator



HDMI Output

Streams live camera footage

Simple Installation

Single (T10) Screw Mechanism and Interchangeable I/O Cable

TPM 2.0 Encryption Chip

Protects sensitive data and credentials

Trend-Micro™ IoT Security

Defend and Quarantine Vulnerability Protection



Vision Object Analytic

Identify people, vehicles and attributes



Smart VCA

Accurate detect incidents



Deep Search

Available with supported platform



RealSight Engine

Clear Visibility of people in any lighting



Great Image Performance Powered by RealSight Engine

Clear visibility of people in any lighting

This feature ensures sharp, detailed capture of individuals, even in motion or challenging lighting conditions, without manual adjustments, the RealSight Engine automatically delivers clear images no matter day or night.



Clearly capture moving figures



See individuals without being affected by IR light reflections



Clearly see portraits under backlight

Advanced Analytics

AI detection for accurate alarm

VIVOTEK Smart VCA offers precise object and attribute tracking, providing detailed video analytics for targeted monitoring and quick searches.

Built-in Analytics

Smart Motion

Line Crossing

Intrusion

Loitering

Face

Crowd

Missing Object

Unattended Object

Paid Analytics

Running

Parking Detection

Restricted Zone



FIPS 140-2 Certified TPM 2.0 Chip

The TPM 2.0 chip provides hardware encryption to protect confidential and cryptographic data, prevent unauthorized access, and also ensures system integrity for long-term security.



HDMI output direct stream live footage

The camera is equipped with a built-in HDMI output port, allowing it to connect directly to the monitor via an HDMI cable. This setup eliminates the need for a video receiver to display surveillance footage, requires no additional wiring, and does not interfere with the existing decoration.

Build for Easy Installation

Simple installation


VIVOTEK's product design facilitates an easy and efficient installation process: only a single size of screwdriver is required to disassemble and install the camera device. Additionally, compatible accessories are provided to meet various installation requirements across different environments.



Effortless Cable Installation



Single (T10) Screw Mechanism



Interchangeable I/O Cable


Complete Video Security with VIVOTEK Solution

Access and manage all devices and accounts through a single platform, providing accurate event monitoring and intuitive security system operation video investigation no matter where you are.




Instant notification to aware incident |

Integrated with VORTEX, key individuals can be promptly notified through mobile push on VORTEX app or email, enabling proactive deterrent measures and the prevention of violations.




Best way to search for footage – Deep Search |

Effortlessly find evidence without the need to access numerous video footages by using Deep Search, which enables efficient searching for video clips based on various attributes. View snapshots of people and their paths, eliminating the need for video replays.




Generate case report and export video in organized |

Case Vault helps user to manage footage found through Deep Search. Organize clips and export detailed case reports straight from search results, making case management easier.



Unified experience on Milestone and Genetec




Milestone XProtect

Easily enhance your Milestone XProtect with VIVOTEK's AI cameras for instant search evidence by attributes.



Genetec Security Center

Optimize your Genetec Security Center with VIVOTEK's AI cameras for quick evidence searching through Deep Search and export search report.



VIVOTEK Device Manager – Batch configuration

Device Manager quickly configure your cameras and NVRs. With our batch configuration, IP allocation, HTTPS/IEEE certificates, and firmware updates have never been easier, ensuring the system is always up-to-date and streamlined.



Ordering Information

Models	FD9189-H-V3	FD9199-H	FD9389-EHV-V3	FD9389-EHTV-V3	FD9399-EHV	FD9399-EHTV	IB9389-EHV-V3	IB9389-EHTV-V3	IB9399-EHV	IB9399-EHTV
Form Factor	Indoor Fixed Dome		Outdoor Fixed Dome				Bullet			
Resolution	5MP	8MP	5MP	5MP	8MP	8MP	5MP	5MP	8MP	8MP
Lens	2.8mm	4.2mm	2.8mm	2.8-12mm	4.2mm	4.3-9.8mm	2.8mm	2.8-12mm	4.2mm	4.3-9.8mm
Aperture	F2.0	F1.6	F2.0	F1.6-3.3	F1.6	F1.6-2.6	F2.0	F1.6-3.3	F1.6	F1.6-2.6
IR illuminator	30m	30m	40m	40m	40m	40m	40m	40m	40m	40m
HDMI Output	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗
Certification	✗	✗	IP66, IK10, NEMA 4X	IP66, IK10, NEMA 4X	IP66, IK10, NEMA 4X	IP66, IK10, NEMA 4X	IP67, IK10	IP67, IK10	IP67, IK10	IP67, IK10

Accessories

Dome camera



AM-21A (V02)
L-shape Bracket



AM-71B (V01&V02)
Waterproof Conduit Box



AO-014
Audio & IO cable for indoor



AO-015
Audio & IO cable for outdoor

Bullet camera



AM-71C (V02)
Junction Box

Recommend Solution

Hybrid Cloud Solution

VORTEX Camera
(Not within scope)

V-series AI Camera

V-series Embedded NVR

VORTEX BY VIVOTEK

On-Prem Solution

V-series AI Camera

V-series Recording Server

V-series Embedded NVR

VAST Security Station

Open Platform Solution

V-series AI Camera

milestone

NxWitness

Genetec

ONVIF® | GST