



## 2-Port USB KVM Switch Kit with Audio

TK-209K (v2.0R)


- 2-Port KVM switch with VGA, USB mouse and keyboard connections
- Device monitoring with Auto-Scan and audible feedback
- High quality 2048 x 1536 resolution for a crisp display
- Supports most operating systems and advanced mouse designs
- Control two computers with one set of console controls
- Listen to music from one computer while working on another
- Bus powered – No external power adapter required
- All required cabling included
- No CD installation required
- NDAA compliant (U.S. and Canada only)

TRENDnet's 2-Port USB KVM Switch Kit with Audio, model TK-209K, allows you to control multimedia PCs with just one keyboard, monitor, mouse, microphone, and a set of speakers. The KVM switch not only allows you to share your monitor, keyboard and mouse, but you can also share microphone and speakers. With just a simple press of a button, this KVM switch eliminates the hassle of cable swapping and switching between 2 PCs. With its Hot-Plug, Auto-Scan, and Hot-Key operating features, the TK-209K KVM Switch is an ideal choice for managing 2 PCs.




### VGA

Designed for VGA systems with resolutions up to 2048 x 1536 with a 60Hz refresh rate.



### Push Button Controls

Use the front panel push buttons to switch between computers.



### Audio Support

Features 3.5mm speaker and microphone connections to switch between computers.

## NETWORKING SOLUTION



## FEATURES



### Computers

Control up to 2 computers with one set of console devices



### VGA

This VGA KVM switch supports resolutions up to 2048 x 1536 with a 60Hz refresh rate



### Push Button Controls

Use the front panel push buttons to switch between computers on the KVM switch



### Hot Keys

This VGA KVM switch features keyboard hot key commands for switching between computers



### USB Mouse & Keyboard

Supports traditional USB mouse and keyboard devices



### Audio Support

This VGA KVM switch features 3.5mm speaker and microphone connections to switch between computers



### Included Cables

This KVM kit includes two sets of KVM cables



### Computer Ports

Requires free USB and VGA ports from connected computers

## SPECIFICATIONS

### Console Port Connectors

- 1 x VGA /SVGA HDB 15-pin (Female)
- 2 x USB ports (Keyboard / Mouse)
- 2 x 3.5mm microphone/speaker jacks

### Computer Interface (up to 2)

- 1 x USB Type A
- 1 x VGA /SVGA HDB 15-pin (Female)
- 2 x 3.5mm audio jacks

### Cables (2 sets)

- Length: 1.2m (4 ft.)
- VGA /SVGA (Male) to VGA /SVGA (Male) / USB Type A
- 3.5mm Audio cables

### Monitor Resolution

- 2048 x 1536 @ 60Hz

### Switching Control

- Front panel push buttons
- Keyboard hot key commands

### Operating Temperature

- 0° – 40° C (32° – 104° F)

### Operating Humidity

- Max. 90% non-condensing

### Power

- USB powered
- Max. consumption: 0.7W

### Dimensions

- 95 x 63 x 24mm (3.74 x 2.48 x 0.95 in.)

### Weight

- 104g (3.6 oz.)

### Certifications

- CE
- FCC

### Warranty

- 2 year

### Package Contents

- TK-209K
- Quick Installation Guide
- 2 x KVM Cables (1.2m/4 ft.)
- 2 x Audio Cables (1.2m/4 ft.)

All references to speed are for comparison purposes only. Product specifications, size, and shape are subject to change without notice, and actual product appearance may differ from that depicted herein.