



Contents

Firmware V1.05 2022-05-10	2
Firmware V1.04 2022-02-25	2
Firmware V1.03 2021-04-13	3
Firmware V1.02 2020-05-27	3
Firmware V1.01 2019-05-16	4



GV-IP Camera Version History

Firmware V1.05 2022-05-10

Firmware V1.05 applies to the following GV-IP Camera models:

- GV-ABL2703 / 4703
- GV-ADR2702 / 4702
- GV-TBL2703 / 4700 / 4703
- GV-TDR2702 / 4702
- GV-TVD4700

Fixed:

- Chances of loading incorrect username and password after rebooting

Modified:

- Information on Forgot Password notice on the Web interface updated
- Cyber security enhanced

Firmware V1.04 2022-02-25

Firmware V1.04 applies to the following GV-IP Camera models:

- GV-ABL2703 / 4703
- GV-ADR2702 / 4702
- GV-TBL2703 / 4700 / 4703
- GV-TDR2702 / 4702
- GV-TVD4700

Fixed:

- Forgot Password notice on Web interface corrected
- The issue of incorrect date shown on Forgot Password notice when the PC and the IP camera are in different time zones
- The issue of HTTP port synchronization when connecting through ONVIF protocol
- The issue of automatic rebooting of the IP camera after DDNS setting is changed



Modified:

- Security mechanism optimized

Firmware V1.03 2021-04-13

Firmware V1.03 applies to the following GV-IP Camera models:

- GV-ADR2702 / 4702
- GV-ABL2703 / 4703
- GV-TDR2702 / 4702
- GV-TBL2703 / 4700 / 4703
- GV-TVD4700

Fixed:

- Chances of replaying motion events on the live view upon enabling the two-way audio function
- Failure to stream motion events through RTSP over TCP
- Inability to create a new password for a newly purchased camera using GV-IP Device Utility

Modified:

- Barcode number described in the Tip box of the Forget Password window as a new method of retrieving a password

Firmware V1.02 2020-05-27

Firmware V1.02 applies to the following GV-IP Camera models:

- GV-ADR2702 / 4702
- GV-ABL2703 / 4703
- GV-TBL2703 / 4700 / 4703
- GV-TDR2702 / 4702
- GV-TVD4700



New:

- Support for new IP devices GV-TBL4700 and GV-TVD4700

Modified:

- 5-minute account lockout duration after 5 failed login attempts
- Support for H.265 live stream and audio on Chrome / Safari / Firefox / Microsoft Edge
- Post-Record duration changed to 5~1800 seconds
- Display of IP address when using PPPoE connection
- Copyright notices accessible on the Web UI

Fixed:

- Chances of system errors that occurred after memory card is formatted
- Chances of disconnection after recording for a certain period of time through GV-VMS

Changed:

- Default Administrator user accounts no longer supported
- Password strength of “Strong” required when prompted to create a new password

Firmware V1.01 2019-05-16

Firmware V1.01 applies to the following GV-IP Camera models:

- GV-ADR2702 / 4702
- GV-ABL2703 / 4703

New:

- Support for new IP devices GV-ABL2703 / 4703
- Data privacy features to comply with the European Union’s General Data Protection Regulation (GDPR)
- Support for QoS
- Support for Web interface access via Google Chrome, Mozilla Firefox and Microsoft Edge



Improved:

- Allowing login password to contain special characters

Changed:

- Changing the default resolution of 2nd stream to 640 x 360