


PMAX-0532



Pole Mount (for Z710, Z8x, Z9x, A7x) , supports 2.6" to 5" Poles

► Specifications

Device


Product Type	Camera Mount
Description	Pole Mount (for Z710, Z8x, Z9x, A7x) , supports 2.6" to 5" Poles


General


Weight	207.5g (0.46lb)
Dimensions	(W x H x D): 136mm x 127mm x 62.4mm (5.4" x 5.0" x 2.5")
Color	White
Material	Galvanized sheet
Warranty	1 Year(s)

► Related Products

Dome - Mini Dome

Z710		8MP Outdoor Mini Dome with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F2.0 (HOV:90°), H.265/H.264, 1440p/30fps, 2D+3D DNR, PoE/DC12V, IP67, IK10
------	---	--





Z714		8MP Outdoor Mini Dome with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F2.0 (HOV:99°), H.265/H.264, 1440p/30fps, 2D+3D DNR, Built-in Microphone, MicroSD, PoE/DC12V, IP67, IK10
Z715		5MP Outdoor Mini Dome with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F1.6 (HOV:112.9°), H.265/H.264, 2D+3D DNR, Built-in Microphone, MicroSD, PoE/DC12V, IP67, IK10
Z97		2MP Outdoor Mini Dome with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F2.0 (HOV:102.1°), H.265/H.264, 1080p/30fps, 2D+3D DNR, MicroSD, PoE/DC12V, IP68, IK10
Z98		4MP Outdoor Mini Dome with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F1.6 (HOV:99°), H.265/H.264, 1440p/30fps, 2D+3D DNR, MicroSDHC, PoE/DC12V, IP68, IK10


Dome - Dome





A71		4MP Outdoor Dome with D/N, IR, Extreme WDR, SLLS, Fixed lens, f2.8mm/F1.6 (HOV:101.3°), H.265/H.264, 1080p/30fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, IP68, IK10, DI/DO
A76		4MP Outdoor Dome with D/N, IR, Extreme WDR, SLLS, Fixed lens, f2.8mm/F1.6 (HOV:99°), H.265/H.264, 3D DNR, Audio, MicroSD/ MicroSDHC/ MicroSDXC, PoE/DC12V, IP68, IK10, DI/DO
A77		6MP Outdoor Dome with D/N, IR, Extreme WDR, SLLS, Fixed lens, f2.8mm/F1.6, H.265/H.264, 3D DNR, Audio, MicroSD/MicroSDHC/MicroSDXC, PoE/DC12V, IP67, IK10, DI/DO
Z72		4MP Outdoor Dome with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F1.6 (HOV: 101.1°), H.265/H.264, 2D+3D DNR, Built-in Microphone, MicroSD, PoE/DC12V, IP67, IK10, Corridor Mode
Z73		2MP Outdoor Dome with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F2.0 (HOV:100.5°), H.265/H.264, 1080p/30fps, 2D+3D DNR, Built-in Microphone, MicroSD, PoE/DC12V, IP67
Z75		5MP Outdoor Dome with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F1.6 (HOV:112.9°), H.265/H.264, 2D+3D DNR, Built-in Microphone, MicroSD, PoE/DC12V, IP67
Z78		2MP Outdoor Dome with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F2.0 (HOV:108.6°), H.265/H.264, 1080p/30fps, 2D+3D DNR, Built-in Microphone, MicroSD, PoE/DC12V, IP67
Z79		4MP Outdoor Dome with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F2.0 (HOV: 90°), H.265/H.264, 2D+3D DNR, Built-in Microphone, MicroSD, PoE/DC12V, IP68, IK10 (metal casing)

Dome - Analog Dome

Y71		2MP Outdoor Analog Dome with D/N, Adaptive IR, Extreme WDR, ELLS, Fixed lens, f2.8mm/F2.0 (HOV:90.5°), TVI/AHD/CVI/CVBS, DNR, DC12V, IP67
Y72		5MP Outdoor Analog Dome with D/N, Adaptive IR, Extreme WDR, ELLS, Fixed lens, f2.8mm/F2.0 (HOV:102.2°), TVI/AHD/CVI/CVBS, DNR, DC12V, IP67

Dome - Zoom Dome

Z81		2MP Outdoor Zoom Dome with D/N, Adaptive IR, Extreme WDR, SLLS, 4.4x Zoom lens, f2.7-12mm/F1.4 (HOV: 94°-28°), Auto Focus (for installation), H.265/H.264, 1080p/30fps, 2D+3D DNR, Built-in Microphone, MicroSDHC/MicroSDXC, PoE/DC12V, IP67
-----	---	--

Z82		4MP Outdoor Zoom Dome with D/N, Adaptive IR, Extreme WDR, SLLS, 4.4x Zoom lens, f2.7-12mm/F1.4 (HOV: 91°-27°), Auto Focus (for installation), H.265/H.264, 1080p/30fps, 2D+3D DNR, Built-in Microphone, MicroSDHC/MicroSDXC, PoE/DC12V, IP67
Z85		2MP Outdoor Zoom Dome with D/N, Adaptive IR, Superior WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.6 (HOV:102.1°-33°), Auto Focus (for installation), H.265/H.264, 1080p/30fps, 2D+3D DNR, Built-in Microphone, MicroSD, PoE/DC12V, IP67, IK10
Z86		4MP Outdoor Zoom Dome with D/N, Adaptive IR, Superior WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.6 (HOV:102.1°-30.7°), Auto Focus (for installation), H.265/H.264, 1440p/30fps, 2D+3D DNR, Built-in Microphone, MicroSDHC, PoE/DC12V, IP67, IK10 (metal casing)
Z87		4MP Outdoor Zoom Dome with D/N, Adaptive IR, Superior WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.6 (HOV:99.8°-30.7°), Auto Focus (for installation), H.265/H.264, 2D+3D DNR, Built-in Microphone, MicroSDHC, PoE/DC12V, IP67

