

# PPOE-0106



High PoE injector IEEE 802.3at compliant, AC 100~240V, with universal connectors (for A416, A418, B913, B923, B934, Q450, Q75, VMGB-60X, Z37, Z71, Z952)

## ► Specifications

### Device



Product Type	PoE Injector
Description	High PoE injector IEEE 802.3at compliant, AC 100~240V, with universal connectors (for A416, A418, B913, B923, B934, Q450, Q75, VMGB-60X, Z37, Z71, Z952)


### General














Weight	200g (0.44lb)
Dimensions	(L x W x H): 55mm x 32.5mm x 140mm (2.17" x 1.28" x 5.51")

## ► Related Products


### Bullet - Zoom Bullet

A422		4MP Zoom Bullet with D/N, IR, Extreme WDR, SLLS, 5x Zoom lens, f2.7-13.5mm/F1.6 (HOV:102.8°-32.4°), H.265/H.264, 3D DNR, Audio, MicroSD/MicroSDHC/MicroSDXC, PoE/DC12V, IP68, IK10 (metal casing), DI/DO
A423		6MP Zoom Bullet with D/N, IR, Extreme WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.6 (HOV:102.1°-34.5°), H.265/H.264, 3D DNR, Audio, MicroSD/ MicroSDHC/ MicroSDXC, PoE/DC12V, IP68, IK10 (metal casing), DI/DO




VMGB-410		2MP ALPR Metadata Camera with 4.3x Zoom lens, f2.8-12mm/F1.2-2.5 (HOV:114.5°-41.8°), P-Iris, H.265/H.264, 3D DNR, MicroSD/MicroSDHC/MicroSDXC, PoE/DC12V, IP67, IK10 (metal casing), DI/DO, Built-in Analytics
Z411		4MP Zoom Bullet with D/N, Adaptive IR, Extreme WDR, ELLS, 22x Zoom lens, f6.5-143mm/F1.5 HOV:61.3°-3.4°, DC iris, Auto Focus (for installation), H.265/H.264, 2D+3D DNR, Audio, MicroSD, PoE/AC24V, IP67, DI/DO, RS-485
<b>Dome - Mini Dome</b>		
Z710		8MP Outdoor Mini Dome with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F2.0 (HOV:90°), H.265/H.264, 1440p/30fps, 2D+3D DNR, PoE/DC12V, IP67, IK10
<b>Dome - Zoom Dome</b>		
VMGB-605		4MP Face Recognition Metadata Camera with 4x Zoom lens, f8-32mm/F1.7-1.73 (HOV:42.5°-15.1°), P-Iris, H.265/H.264, 3D DNR, Built-in Microphone, MicroSD/MicroSDHC/MicroSDXC, PoE/DC12V/AC24V, IK10, DI/DO, RS-485, Built-in Analytics
VMGB-606		4MP Face Recognition Metadata Camera with 4.3x Zoom lens, f2.8-12mm/F1.2-2.5 (HOV:114.5°-41.8°), P-Iris, H.265/H.264, 3D DNR, Built-in Microphone, MicroSD/MicroSDHC/MicroSDXC, PoE/DC12V/AC24V, IK10, DI/DO, RS-485, Built-in Analytics
VMGB-607		4MP Face Recognition Metadata Camera with 4x Zoom lens, f8-32mm/F1.6 (HOV:42.5°-14°), P-Iris, H.265/H.264, 3D DNR, Built-in Microphone, Speaker, MicroSD/MicroSDHC/MicroSDXC, PoE/DC12V/AC24V, DI/DO, RS-485
VMGB-608		4MP Face Recognition Metadata Camera with 4.3x Zoom lens, f2.8-12mm/F1.2 (HOV:107.4°-39.8°), P-Iris, H.265/H.264, 3D DNR, Built-in Microphone, Speaker, MicroSD/MicroSDHC/MicroSDXC, PoE/DC12V/AC24V, DI/DO, RS-485
<b>PTZ - Speed Dome</b>		
B923		3MP Video Analytics Indoor Speed Dome with D/N, Extreme WDR, SLLS, 30x Zoom lens, f4.5-135mm/F1.6-4.4 (HOV:58.5°-3.2°), DC iris, Auto Focus, H.265/H.264, 1080p/60fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, High PoE/DC12V, IK09, DI/DO, Built-in Analytics
B934		2MP Video Analytics Indoor Speed Dome with D/N, Extreme WDR, SLLS, 30x Zoom lens, f4.5-135mm/F1.6-4.4 (HOV:62.4°-3.5°), DC iris, Auto Focus, H.264, 1080p/60fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, High PoE/DC 12V, IK09, DI/DO, Built-in Analytics
Z952		4MP Outdoor Speed Dome with D/N, Adaptive IR, Superior WDR, SLLS, 25x Zoom lens, f4.8-120mm/F1.5-3.8 (HOV: 52.20°-2.74°), Auto Focus, H.265/H.264, 1080p/30fps, 2D+3D DNR, Audio, MicroSD, High PoE/DC12V, IP66, IK10, DI/DO
Z956		4MP Outdoor Speed Dome with D/N, Extreme WDR, SLLS, 33x Zoom lens, f4.5-148.5mm/F1.5-4.0 (HOV: 51.4°-2.5°), Auto Focus, H.265/H.265, 3D DNR, Audio, MicroSD, High PoE/DC24V/AC24V, IP67, IK10, DI/DO, RS-485
Z957		4MP Outdoor Speed Dome with D/N, Adaptive IR, Extreme WDR, ELLS, 33x Zoom lens, f4.5-148.5mm/F1.5-4.0 (HOV: 51.4°-2.5°), Auto Focus, H.265/H.264, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, High PoE/DC24V/AC24V, IP66, IK10, DI/DO, RS-485
Z958		2MP Outdoor Speed Dome with D/N, Adaptive IR, Extreme WDR, ELLS, 16x Zoom lens, f5.0-80mm/F1.7-2.8 (HOV: 51.7°-4.89°), Auto Focus, H.265/H.264, 2D+3D DNR, MicroSDHC/MicroSDXC, High PoE/DC12V, IP66, IK10


### Multi-Imager - Multi-Imager 180 Degree Bullet

Q450  8MP Multi-Imager Panoramic Bullet with D/N, Adaptive IR, Superior WDR, SLLS, 2 Fixed lenses, f2.8mm (HOV:180°), H.265/H.264, Dewarping

### Multi-Imager - Multi-Imager 180 Degree Dome

Q75  20MP Outdoor Multi-Imager Panoramic Dome with D/N, Adaptive IR, Advanced WDR, SLLS, 4 Fixed lenses, f5.5mm/F1.8 (HOV:180°), H.265/H.264, Audio, High PoE/DC24V/AC24V, IP66, IK10, DI/DO

### Metadata Generator Device - Metadata Camera

VMGB-400  2MP ALPR Metadata Camera with D/N, IR, Extreme WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.2-2.5 (HOV:103.3°-38.6°), H.265/H.264, 3D DNR, MicroSDHC/MicroSDXC, PoE/DC12V, IP67, IK10 (metal casing), DI/DO, RS-485, Built-in Analytics. Supported Territory: Taiwan.